

ЛУЧШИЕ ИНТЕЛЛЕКТУАЛЬНЫЕ ИССЛЕДОВАНИЯ



международном научно-образовательном
электронном журнале

ЧАСТЬ-19
ТОМ-3
04/2024



OPEN  ACCESS



ЛУЧШИЕ ИНТЕЛЛЕКТУАЛЬНЫЕ ИССЛЕДОВАНИЯ

ЛУЧШИЕ ИНТЕЛЛЕКТУАЛЬНЫЕ ИССЛЕДОВАНИЯ

международный научный электронный журнал

ЧАСТЬ-19 ТОМ-3

Апрель - 2024 год





SOME APPLICATIONS OF THE DERIVATIVE OF A FUNCTION

*Khayitova Khilola Gafurovna - teacher of the
"Mathematical Analysis" department, Bukhara State University,
xilola_xayitova@mail.ru,
x.g.xayitova@buxdu.uz.*

Annotation. This article describes the concept of a derivative of a function and its practical application. Examples of product application are provided. The mechanical description of the derivative is also considered. It is known that the concept of a derivative of a function is one of the first basic concepts of mathematical analysis, and problems leading to the concept of a derivative include such problems as checking the rectilinear motion of a rigid body, the motion of an object thrown vertically upward, or the motion of a piston in an engine cylinder. When considering such movements, we ignore the specific size and shape of the body and imagine it as a moving material point.

Key words: Addition of a function, addition of an argument, finite limit, derivative, differential.

НЕКОТОРЫЕ ПРИМЕНЕНИЯ ПРОИЗВОДНОЙ ФУНКЦИИ

*Хаитова Хилола Гафуровна – Бухарский государственный университет,
преподаватель кафедры «Математический анализ».*

*Email: xilola_xayitova@mail.ru,
x.g.xayitova@buxdu.uz.*

Аннотация. В данной статье описывается понятие производной функции и его практическое применение. Приведены примеры применения производной. Также рассматривается механическое описание производной. Известно, что понятие производной функции является одним из первых основных понятий математического анализа, а к числу задач, приводящих к понятию производной, можно отнести такие задачи, как проверка прямолинейного движения твердого тела, движение предмета, брошенного вертикально вверх, или движение поршня в цилиндре двигателя. Рассматривая такие движения, игнорируем конкретные размеры и форму тела и представляем его как движущуюся материальную точку.



Ключевые слова: Сложение функции, сложение аргумента, конечный предел, производная, дифференциал.

The volume of a cube is a function of its side length, $V = x^3$. If the cube is made of metal, as the cube heats up, its side length increases, and its volume also increases. If a cube has side length x and increases by h when heated, then it takes $x + h$ and the volume of the cube is $(x + h)^3$. So, when heated, the volume of the cube increased by $(x + h)^3 - x^3$. This difference is called the increase in volume of the cube, and the number h that indicates how much the length of the side of the cube has increased is called the increase in the length of the side of the cube [1-9]. Generally speaking, this gain term is inappropriate because (for example, when the cube cools) the side length of the cube may decrease, in which case the gain will be negative. Therefore, it would be better to call it a change, not an increase, but we will not deviate from the traditional term. Thus, the new value of the quantity x is equal to $x + \Delta x$, that is, it is equal to the sum of its initial value x and Δx . If $y = f(x)$ is a function, and the argument x takes an increment of Δx , then the value of the function also changes, as a result, y gets an increment of Δy . To calculate this gain:

- a) Finding the value of the function $y = f(x)$ at the initial value of the argument;
- b) Finding the new value of the argument $x + \Delta x$;
- c) Finding the new value of the function $f(x + \Delta x)$;
- d) It is necessary to subtract the initial value of the function from the new value, that is, find the difference $f(x + \Delta x) - f(x)$;

So,

$$\Delta y = f(x + \Delta x) - f(x).$$

If the 4 th value of the x argument is incremented by 0.1, we find the increment of the function $y = x^2$. At $x = 4$, the value of the function after receiving an increment equal to 16, the value of the argument was 4,1, the new value of the function was equal to 16,81. So the gain of the function is equal to 0,81. If the function $y = f(x)$ grows on the section $[a, b]$, then the signs of Δy and Δx are the same in this section. As the x argument increases, y also increases, and as the x argument decreases, y also decreases [10-21]. If the function $y = f(x)$ decreases in this section, the signs of Δy and Δx will be opposite at any point of it.

The function $y = f(x)$ defined in an interval has a certain value at each value of the argument x in this interval. Let the argument x take any (positive or negative) product of Δx . Then the function y takes an increment Δy . Thus: at the x value of



the argument we have $y = f(x)$, at the $x + \Delta x$ value of the argument we have $y + \Delta y = f(x + \Delta x)$. We find the product of the function Δy : $\Delta y = f(x + \Delta x) - f(x)$. We construct the ratio of the increment of the function to the increment of the argument. We construct the ratio of the increment of the function to the increment of the argument:

$$\frac{\Delta y}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}.$$

We find the limit of this ratio at $\Delta x \rightarrow 0$. If this limit exists, it is called the derivative of the given function $f(x)$ and is denoted by $f'(x)$. So, by definition,

$$f'(x) = \lim_{\Delta x \rightarrow 0} \frac{\Delta y}{\Delta x},$$

or

$$f'(x) = \lim_{\Delta x \rightarrow 0} \frac{f(x + \Delta x) - f(x)}{\Delta x}.$$

So, the given function $y = f(x)$ is the derivative of the function with respect to the argument x , and the sum of the argument Δx arbitrarily tends to zero. In general, for each value of x , we emphasize that the derivative $f'(x)$ has a certain value, that is, the derivative is also a function of x .

Let a point M move along a straight line λ at time t by a distance $s = f(t)$. Let $s_0 = f(0)$ be the position of the material point M on the straight line at the initial time $t = 0$. What is its instantaneous speed at arbitrary time t_0 ?

To answer these questions, $\Delta s = |M_0 M|$ we determine the path: $\Delta s = f(t_0 + \Delta t) - f(t_0)$. Then we divide by Δt to find the average speed achieved during the time interval $[t_0; t_0 + \Delta t]$:

$$V_{avr} = \frac{\Delta s}{\Delta t} = \frac{f(t_0 + \Delta t) - f(t_0)}{\Delta t}.$$

The smaller the quantity Δt , the closer it really is to the instantaneous speed. Now if we set Δt to zero, then V_{avr} also determines the so-called instantaneous speed at time t_0 :

$$V(t_0) = \lim_{\Delta t \rightarrow 0} V_{avr} = \lim_{\Delta t \rightarrow 0} \frac{f(t_0 + \Delta t) - f(t_0)}{\Delta t}.$$

Thus, $V(t_0) = f'(t_0)$.

Example. Point M is moving along a straight line with law $s(t) = 2 \sin 3\pi t$. Find its instantaneous speed in 10 seconds. When will its instantaneous velocity be zero?



Solving. This is a longitudinal oscillating motion. The derivative of the traveled path function $s'(t) = 6\pi\cos 3\pi t$ is the instantaneous speed of the given point at an arbitrary time t . In that case:

$$V(10) = s'(t_0) = 6\pi\cos 30\pi = 6\pi.$$

Now we find when its instantaneous speed becomes zero:

$$V(t) = 0 \leftrightarrow 6\pi\cos 3\pi t = 0 \leftrightarrow t_n = \frac{1 + 2n}{6}, n \in Z.$$

Answer: $V(10) = 6\pi \frac{m}{s}$, $T = \left\{ t_n = \frac{1+2n}{6}, n \in Z \right\}$.

It is known that if the function f has a derivative at the point x_0 , then according to the definition of the derivative:

$$\lim_{\Delta x \rightarrow 0} \frac{\Delta f(x)}{\Delta x} = f'(x_0).$$

If Δx is a very small quantity, then the quantity $\frac{\Delta f(x_0)}{\Delta x}$ differs from $f'(x_0)$ by some infinitesimal amount $\alpha(\Delta x)$:

$$\frac{\Delta f(x_0)}{\Delta x} = f'(x_0) + \alpha(\Delta x), \quad \lim_{\Delta x \rightarrow 0} \alpha(\Delta x) = 0.$$

Therefore, the approximate equality $\Delta f(x_0) \approx f'(x_0)\Delta x$ is formed here. This is an error of approximation

$$|\Delta f(x_0) - f'(x_0)\Delta x| \leq |\Delta x| \max |\alpha(\Delta x)|, \quad (\Delta x \rightarrow 0)$$

satisfies the inequality. So, if we replace the product $\Delta f(x_0)$ by $f(x_0 + \Delta x) - f(x_0)$, this approximate equality

$$f(x_0 + \Delta x) \approx f(x_0) + f'(x_0)\Delta x$$

looks like. At least the value of the function f at the point $x = x_0 + \Delta x$ $|\Delta x| \max |\alpha(\Delta x)|$

This formula is used to determine the error. For example, for the function $f(x) = x^n$, $(x_0 + \Delta x)^n \approx x_0^n + nx_0^{n-1}\Delta x$. In particular: $(x_0 + \Delta x)^2 \approx x_0^2 + 2x_0 \Delta x$; $(x_0 + \Delta x)^3 \approx x_0^3 + 3x_0^2\Delta x$, $(1 + \Delta x)^n \approx 1 + n\Delta x$.

Example. 1) $(5,012)^2 \approx 5^2 + 2 * 5 * 0,012 = 25,12$.

2) $(1,02)^{10} \approx 1 + 10 * 0,02 = 1,2$.

These formulas are valid around a sufficiently small point $x = x_0$. For example, at sufficiently small values of Δx when $x_0 = 1$:

$$\ln(1 + \Delta x) \approx \Delta x, \quad \sqrt[n]{1 + \Delta x} \approx 1 + \frac{\Delta x}{n}.$$

Let the function $y = f(x)$ be defined in some interval $[a, b]$ and be invertible in it. Again, this function is differentiable in this interval and its derivative does not



become zero anywhere. Given these conditions, the function has the following properties:

- $y = f(x)$ the function is continuous in the interval $[a, b]$;

- $f'(x)$ derivative does not change its sign in the interval $[a, b]$, so it is either decreasing or increasing in this interval;

- The values of the function $f(x)$ completely cover an interval $[c, d]$ once, i.e., any arbitrary for points $x_1 \in [a, b]$ and $x_2 \in [a, b]$ from domain $[c, d]$;

The values of the function $f(x)$ completely cover an interval $[c, d]$ once, that is, the derivative of the domain $[c, d]$ for any arbitrary points $x_1 \in [a, b]$ and $x_2 \in [a, b]$ is non-zero, then it is invertible and the derivative of the inverse function $x = f^{-1}(y)$ at the point $y_0 = f(x_0)$ defined as

$$(f^{-1}(y))'_{y=y_0} = \frac{1}{f'(x_0)}.$$

Proof. Based on the property of the function stated in the condition of the theorem, $f(x)$ ensures that the function is either increasing or decreasing in the interval $[a, b]$. So, the function $f(x)$ is definitely invertible in this interval [22-29]. For clarity, let $f(x)$ be increasing in this interval. Now if we make addition $\Delta x = x - x_0$ at arbitrary point $x_0 \in [a, b]$, since $x = f^{-1}(y)$, $x = f^{-1}(y_0) + \Delta x = f^{-1}(y) - f^{-1}(y_0)$ or we can write $\Delta x = \Delta f^{-1}(y_0)$. As well as

$$\Delta y = y - y_0 \leftrightarrow \Delta y = f(x) - f(x_0)$$

such a notation shows that the inequality condition $\Delta y \neq 0$ is necessarily fulfilled when $x = x_0$ and $x \in [a, b]$ based on the increasing (decreasing) form of the function f . So this ratio has meaning [30-34]:

$$\frac{\Delta x}{\Delta y} = \frac{1}{\frac{\Delta y}{\Delta x}}.$$

The product of the function f with the derivative at the point x satisfies the condition $\Delta f(x_0) \rightarrow 0$ when $\Delta x \rightarrow 0$, i.e. the condition $\Delta y \rightarrow 0$. So, using them, we can construct this equation:

$$\lim_{\Delta y \rightarrow 0} \frac{\Delta x}{\Delta y} = \frac{1}{\lim_{\Delta x \rightarrow 0} \frac{\Delta f(x_0)}{\Delta x}}.$$

Since the right-hand denominator has a limit and is non-zero it follows that

$$(f^{-1}(y))' = \frac{1}{f'(x_0)}.$$



REFERENCES

1. Ishmuxamedov R.J., Yuldashev M. Ta'lim va tarbiyada innovatsion pedagogik texnologiyalar.– T.: "Nihol" nashriyoti, 2013, 2016.–279b.
2. Nishonova Z.T Oliy maktab psixologiyasi. Toshkent: -2003 y., 300 b
3. G'afurovna X. X. et al. Olmos panjaradagi diskret shryodinger operatorining spektri //Journal of new century innovations. – 2023. – Т. 29. – №. 2. – С. 120-125.
4. G'afurovna X. X. Matritsaviy model operator xos qiymatlariga mos faddeyev tenglamasi //O'zbekiston respublikasi oliy ta'lim, fan va innovatsiyalar vazirligi buxoro davlat universiteti fizika, matematika va mexanikaning dolzarb muammolari. – 2023. – С. 76.
5. Хайитова Х. Танлаш usuli bilan kombinatorika masalalarni yechish metodikasi: tanlash usuli bilan kombinatorika masalalarni yechish metodikasi //центр научных публикаций (buxdu. uz). – 2022. – Т. 25. – №. 25.
6. Хайитова Х. Аxborotlashgan jamiyat sharoitida ota-onalarning virtual-pedagogik madaniyatining namoyon bo 'lish shakllari //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2021. – Т. 4. – №. 4.
7. Тошева Наргиза Ахмедовна. "О ветвях существенного спектра одной 3×3 -операторной матрицы" Наука, техника и образование 2-2 (2021): 44-47.
8. Abdullayeva M.A. Ba'zi masalalarni yechishda arifmetik va geometrik progressiyaning tadbirlari// Центр научных публикаций (buxdu. uz), 45:45 (2024), 239-244.
9. Abdullayeva M.A. Point spectrum of the operator matrices with the fredholm integral operators// Центр научных публикаций (buxdu. uz), 47:47 (2024), 153-161.
10. Абдуллаева М.А. Решение задач геометрии с использованием прогрессии и ее свойств// Центр научных публикаций (buxdu. uz), 47:47 (2024), с. 173-178
11. Абдуллаева М.А. Применение метода "Рыбий скелет" при решении задач арифметических прогрессии// Центр научных публикаций (buxdu. uz), 8:8 (2022), с. 1156-1166.
12. Мухитдинов Р.Т., Абдуллаева М.А. Крайние точки множества квадратичных операторов, определенных на S^1 // Scientific progress, 1:2 (2021), с. 470-477
13. Хайитова Х. G. et al. Panjaradagi ikki o'lchamli qo'zg'alishga ega bilaplasian operatorining spektri va rezolventasi //Science and education. – 2022. – Т. 3. – №. 3. – С. 55-64.



14. Xayitova X. Olmos panjaradagi diskret shryodinger operatorining spektri //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2024. – Т. 45. – №. 45.

15. Xayitova X. Funktsional tenglamalar yechishning ayrim metodlari //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2024. – Т. 45. – №. 45.

16. G'afurovna X. X. et al. Matematika fanini o'qitishda ba'zi ilmiy-izlanish metodlarining qo'llashning afzalliklari //SCIENTIFIC ASPECTS AND TRENDS IN THE FIELD OF SCIENTIFIC RESEARCH. – 2023. – Т. 2. – №. 15. – С. 109-113.

17. Sayliyeva, Gulrux Rustam Qizi. "Diskret matematika va matematik mantiq fanining «predikatlar mantiq'i» bobi mavzularini tushuntirishda samarali yondashuv va undagi zamonaviy usul va metodlar." Scientific progress 2.1 (2021): 552-558.

18. Sayliyeva GRQ Diskret matematika va matematik mantiq fanida bul funktsiyalarni jegalkin ko'phadlariga yo'nalish mavzusini materiallarda “matematik domino” metodidan yuklash// Scientific progress. – 2021. – Т. 2. – Yo‘q. 2. – 773-780-betlar.

19. Sayliyeva G. Ehtimollar nazariyasi va matematik statistika fanidan “Ta’riflar, teoremlar, isbotlar, formulalar, misollar” usulidan foydalanish // ILMIIY NASHRLAR MARKAZI (buxdu. uz). – 2021. – Т. 8. – Yo‘q. 8.

20. Sayliyeva G. Diskret matematika va matematik mantiq” fanining amaliyot darslarida o‘tilgan mavzuni mustahkamlashda “g‘oyaviy charxpalak”, “charxpalak” texnologiyasi va “assotsatsiyalar” metodlaridan foydalanish //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2021. – Т. 7. – №. 7.

21. Sayliyeva G. Talabalarning o'qitilayotgan fanlarga qiziqishini oshirishda foydalaniladigan samarali pedagogik metodlar //ILMIY NASHRIYOTLAR MARKAZI (buxdu. uz). – 2023. – Т. 44. – Yo‘q. 44.

22. Jumayeva C. I. Q., Shukurova M. D. Q. Ikki noma'lumli birinchi tur Fredgolm integral tenglamalar sistemasining yechimi haqida //Science and Education. – 2023. – Т. 4. – №. 6. – С. 12-18.

23. Jumayeva C. I. Q., Dalliyev B. E. O. G. L. Ajralgan yadroli xususiy integralli operatorning xos qiymatlari va rezolventasi //Scientific progress. – 2023. – Т. 4. – №. 5. – С. 219-222.

24. Jumayeva C. I. Q., Abduraxmonov M. U. O. G. L. Fridriks modelining xos funksiyalari uchun faddeyev tenglamasi va uning xarakteristik xossalari //Scientific progress. – 2023. – Т. 4. – №. 5. – С. 215-218.



25. Jumayeva С. Основы и способы развития речемышлительной деятельности школьников при обучении математике //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2024. – Т. 45. – №. 45.

26. Jumayeva С. Local inner derivations on four-dimensional lie algebras //ЦЕНТР НАУЧНЫХ ПУБЛИКАЦИЙ (buxdu. uz). – 2024. – Т. 45. – №. 45.

27. M.Sh.Sharipova. Sodda irratsional tengsizliklarni yechish usullari // "Pedagogik akmeologiya" xalqaro ilmiy-metodik jurnali Maxsus son (2022) p.50-55

28. D.E.Ismoilova, M.Sh.Sharipova. Algebraik kasrlarni ko'paytirish va bo'lish mavzusini o'qitishning o'ziga xos xususiyatlari // Pedagogik akmeologiya. Maxsus son (2022) 56-61 b.

29. Расулов Х.Р. Аналог задачи Трикоми для квазилинейного уравнения смешанного типа с двумя линиями вырождения // Вестн. Сам. гос. техн. ун-та. Сер. Физ.-мат. науки, 2022. Т. 26, № 4.

30. Rasulov X.R. Qualitative analysis of strictly non-Volterra quadratic dynamical systems with continuous time // Communications in Mathematics, 30 (2022), no. 1, pp. 239-250.

31. Xaydar Raupovich Rasulov. Boundary value problem in a domain with deviation from the characteristics for one nonlinear equation with mixed type. AIP Conf. Proc. 2781, 020016 (2023)

32. M.Sh.Sharipova. Uchinchi tartibli operatorli matritsaning muhim spektr tarmoqlari: 1 o'lchamli hol // Buxoro davlat universiteti ilmiy axboroti №5 (2023) 52-59 b.

33. M.Sh.Sharipova. Usual, quadratic and cubic numerical ranges corresponding to a 3×3 operator matrices// Bulletin of National University of Uzbekistan №5(4) (2023) 242-249 b.

34. Boboyeva M.N. Maktab matematika darslarida misol-masalalar yechish orqali turli kasblarga oid ma'lumotlarni singdirish. Science and Education 2:8 (2021), 496-504 b.



TABLE OF CONTENTS / ОГЛАВЛЕНИЯ / MUNDARIJA

| № | The subject of the article / Тема статьи / Maqola mavzusi | Page / Страница / Sahifa |
|----|---|--------------------------------|
| 1 | MATEMATIKA FANINING O'RGATILISHIGA QARATILGAN BUGUNGI KUNDAGI YANGICHA METODLAR | 3 |
| 2 | SOME APPLICATIONS OF THE DERIVATIVE OF A FUNCTION | 7 |
| 3 | LISTENING SKILLS AND THEIR CHARACTERISTICS IN LANGUAGE LEARNING | 13 |
| 4 | DEFINING THE ROLE OF PRAGMATIC COMPETENCE IN LANGUAGE EDUCATION | 20 |
| 5 | ИСПОЛЬЗОВАНИЕ ЕВРОПЕЙСКИХ МОДЕЛЕЙ ДЛЯ РАЗВИТИЯ СЕЛЬСКОГО ТУРИЗМА В УЗБЕКИСТАНЕ | 27 |
| 6 | КОНЦЕПТУАЛИЗАЦИЯ ОПЫТА ОБСЛУЖИВАНИЯ ПОСРЕДСТВОМ ОБЗОРА ЛИТЕРАТУРЫ | 39 |
| 7 | BUXORO VILOYATIDA HUNARMAND SHOGIRDLAR FAOLIYATI TAHLILI | 50 |
| 8 | IN OUR COUNTRY PREVALENCE OF TUBERCULOSIS | 56 |
| 9 | O'ZBEKISTON RESPUBLIKASIDA SIL KASALLIGINING TARQALGANLIGI | 65 |
| 10 | O'ZBEKISTONDA BRUTSELLYOZ KASALLIGINING ETIOLOGIYASI VA EPIDEMIOLOGIYASINING TAHLILI | 75 |
| 11 | HYGIENIC ANALYSIS OF BRUTSELLYOSIS ETIOLOGY AND EPIDEMIOLOGY IN OUR COUNTRY | 81 |
| 12 | АНАЛИЗ ЭТИОЛОГИИ И ЭПИДЕМИОЛОГИИ ЗАБОЛЕВАНИЯ БРУЦЕЛЛЕЗОМ В НАШЕЙ РЕСПУБЛИКЕ | 86 |
| 13 | KECHIKTIRIB BO'LMAYDIGAN XOLATLARDA SHOSHILINCH YORDAM KO'RSATISH | 92 |
| 14 | WOMEN WRITERS IN ENGLISH LITERATURE | 96 |
| 15 | LANGSTON HUGHES AND HIS POETRY | 99 |
| 16 | WILLIAM SHAKESPEARE'S LEGACY IN 21 CENTURY | 102 |
| 17 | ISLOM KARIMOVNING HOKIMIYAT TERASIGA KELISHI VA MUSTAQILLIK YILLARIDAGI FAOLIYATINING TARIXIY AHAMIYATI | 105 |
| 18 | O'ZBEKISTON RESPUBLIKASINING TASHQI SIYOSATI 2017-2022-YILLARDA | 111 |
| 19 | ANALYSIS OF STATISTICAL INDICATORS OF CENTRAL ASIAN COUNTRIES IN INTERNATIONAL FINANCIAL AND INVESTMENT MARKETS | 115 |
| 20 | ФИЗИКА ДАРСИДА МАСАЛА ИШЛАШ МЕТОДИКАСИ | 125 |
| 21 | TRIGONMETRIK TENGLAMALARNI DARSLARDA QO'LLANISHI | 131 |



| | | |
|----|--|-----|
| 22 | IMKONIYATI CHEKLANGAN O'QUVCHILAR UCHUN TIKUVCHILIK YO'NALISHI BO'YICHA ISHLASH | 135 |
| 23 | FIZIKA FANINING O'QITISH METODIKASI | 138 |
| 24 | CALCULATION OF SPECIAL FUNCTIONS WITH ARBITRARY PRECISION IN THE .NET FRAMEWORK ENVIRONMENT | 142 |
| 25 | AI WAYFINDING ALGORITHM OF A MOBILE ROBOT | 150 |
| 26 | A FAST AND OPTIMAL WAYFINDING ALGORITHM USING INFORMATION FROM LIDAR SENSORS IN THE ENVIRONMENT | 157 |
| 27 | YURAK-QON TOMIRI TIZIMI KASALLIKLARI VA TASNIFI | 164 |
| 28 | KARIES KASALLIGINI KLASIFIKATSIYASI VA DOVALASH USULLARI | 167 |
| 29 | AYOLLAR VA BOLALARDA REPRODUKTIV SALOMATLIK | 171 |
| 30 | TERINING YUQUMLI KASALLIKLARIDA ZAMONAVIY DAVOLASH USULLARI | 175 |
| 31 | ME'DA VA O'N IKKI BARMOQ ICHAKNING YARA KASALLIKLARIDA ZAMONAVIY DAVOLASH USULLARI | 178 |
| 32 | YURAK QON TOMIR KASALLIKLARIDA ZAMONAVIY TEKSHIRISH USULLARI | 181 |
| 33 | BUYRAK KASALLIKLARIDA ZAMONAVIY TEKSHIRISH USULLARI | 185 |
| 34 | ZAMONAVIY HARBIY MOJAROLARDA MUHANDISLIK BO'LINMALARINI QO'LLASH TAJRIBALARI | 189 |
| 35 | PROSPECTS FOR THE DEVELOPMENT OF MICE TOURISM IN OUR COUNTRY | 195 |
| 36 | ПРОФИЛАКТИКА ИНСПЕКТОРИНИНГ УЮШГАН ЖИНОЯТЧИЛИКНИ ОЛДИНИ ОЛИШ ҲАМДА УНГА ИМКОН БЕРГАН ШАРТ ШАРОИТЛАРНИ БАРТАРАФ ЭТИШ ФАОЛИЯТИ | 201 |
| 37 | ҲУҚУҚБУЗАРЛИКЛАР ПРОФИЛАКТИКАСИНИНГ ТУРЛАРИ ВА ПРИНЦИПЛАРИ | 205 |
| 38 | ҲУҚУҚБУЗАРЛИКЛАР ПРОФИЛАКТИКАСИНИ АМАЛГА ОШИРУВЧИ СУБЪЕКТЛАР ТАСНИФИ | 209 |
| 39 | BA'ZI NOSTANDART TENGSIZLIK LARNI YECHISH USULLARI | 212 |
| 40 | МАТЕМАТИКА FANINI O'QITISHDA INNOVATSION TECHNOLOGIYALARDAN FOYDALANISH | 216 |

Внимание!— ЛУЧШИЕ ИНТЕЛЛЕКТУАЛЬНЫЕ ИССЛЕДОВАНИЯ статьи и номера в юридическом, медицинском, социальном, научном журнале, информация в классах, права на информацию и правильные органы несут ответственность за точность данных органов.

Главный редактор:

В. Л. Семёнов

Помощник редактора:

М. А. Борисов

Редактор дизайна:

З. Ш. Халиков